

ACBH Mental Health Outpatient, PES, CSU Medi-Cal Included Diagnosis List by DSM-5 Name  
Effective for dates of service on or after October 1, 2019

**Effective 10/1/19 Outpatient, PES, and CSU SMHS providers can only claim for treatment of diagnoses on the ACBH list. Crossed out diagnoses are not allowed. Always use the ICD-10 code.**

**Instructions:** DHCS publishes the list of diagnoses covered by Medi-Cal in ICD-10 format. The DSM is used because ICD-10 does not provide specific diagnostic criteria. Providers must always use DSM-5 first and whenever possible. A few allowable diagnoses do not have a better or equivalent DSM-5 diagnosis and DSM-IV-TR criteria may be used for these ICD-10 diagnoses. For these diagnoses, shaded in green, providers must use the ICD-10 code and name in the medical record; Do not use the DSM-IV-TR name or code. Crossed out diagnoses may not be used at this time. Z03.89 - No Diagnosis or Condition may be used during the assessment period, but once an assessment determines that the client does not have a diagnosis, or has a non-included diagnosis, no additional claiming can be made until medical necessity is established for that client. ICD-10 codes are repeated when there are different diagnoses that use the same code. Nothing in this list supersedes DSM-5 diagnostic criteria.

**Specifiers:** DSM diagnoses have uncoded specifiers that refine diagnoses. Clients' medical record must include the ICD-10 code, DSM-5 (or if using DSM-IV-TR criteria, the ICD-10 name), and all relevant specifiers. A few specifiers are included below to indicate accurate crosswalked diagnoses; however this is not an exhaustive list.

ACBH Outpatient Included List	
ICD-10	DSM-5 Name or ICD-10 Name (in bold)
F43.0	Acute Stress Disorder
F43.20	Adjustment Disorders, Unspecified
F43.22	Adjustment Disorders, With Anxiety
F43.21	Adjustment Disorders, With Depressed Mood
F43.24	Adjustment Disorders, With Disturbance Of Conduct
F43.23	Adjustment Disorders, With Mixed Anxiety and Depressed Mood
F43.25	Adjustment Disorders, With Mixed Disturbance Of Emotions and Conduct
F40.00	Agoraphobia
F50.02	Anorexia Nervosa, Binge-Eating/Purging Type
F50.01	Anorexia Nervosa, Restricting Type
F90.2	Attention-Deficit/Hyperactivity Disorder, Combined Presentation
F90.1	Attention-Deficit/Hyperactivity Disorder, Predominately Hyperactive/Impulsive Presentation
F90.0	Attention-Deficit/Hyperactivity Disorder, Predominately Inattentive Presentation
F84.0	Autism Spectrum Disorder
F60.6	Avoidant Personality Disorder
F50.82	Avoidant/Restrictive Food Intake Disorder
F50.81	Binge Eating Disorder
F31.76	Bipolar I Disorder, Current or Most Recent Episode Depressed, In Full Remission
F31.75	Bipolar I Disorder, Current or Most Recent Episode Depressed, In Partial Remission
F31.31	Bipolar I Disorder, Current or Most Recent Episode Depressed, Mild
F31.32	Bipolar I Disorder, Current or Most Recent Episode Depressed, Moderate
F31.4	Bipolar I Disorder, Current or Most Recent Episode Depressed, Severe
F31.9	Bipolar I Disorder, Current or Most Recent Episode Depressed, Unspecified
F31.5	Bipolar I Disorder, Current or Most Recent Episode Depressed, With Psychotic Features + <i>Severe</i> specifier
F31.0	Bipolar I Disorder, Current or Most Recent Episode Hypomanic
F31.72	Bipolar I Disorder, Current or Most Recent Episode Hypomanic, In Full Remission
F31.71	Bipolar I Disorder, Current or Most Recent Episode Hypomanic, In Partial Remission
F31.9	Bipolar I Disorder, Current or Most Recent Episode Hypomanic, Unspecified
F31.74	Bipolar I Disorder, Current or Most Recent Episode Manic, In Full Remission
F31.73	Bipolar I Disorder, Current or Most Recent Episode Manic, In Partial Remission
F31.11	Bipolar I Disorder, Current or Most Recent Episode Manic, Mild
F31.12	Bipolar I Disorder, Current or Most Recent Episode Manic, Moderate
F31.13	Bipolar I Disorder, Current or Most Recent Episode Manic, Severe

<sup>1</sup> Use ICD-10 Code/Name with DSM-IV-TR criteria. Do not use DSM-IV code/name.

<sup>2</sup> DSM-5 diagnosis not on DHCS Included list, consider alternative diagnoses.

<sup>3</sup> Diagnosis pending, cannot currently be used.

ACBH Mental Health Outpatient, PES, CSU Medi-Cal Included Diagnosis List by DSM-5 Name  
Effective for dates of service on or after October 1, 2019

ACBH Outpatient Included List	
ICD-10	DSM-5 Name or ICD-10 Name (in bold)
F31.9	Bipolar I Disorder, Current or Most Recent Episode Manic, Unspecified
F31.2	Bipolar I Disorder, Current or Most Recent Episode Manic, With Psychotic Features + Severe specifier
F31.9	Bipolar I Disorder, Current or Most Recent Episode Unspecified
F31.81	Bipolar II Disorder
F45.22	Body Dysmorphic Disorder
F60.3	Borderline Personality Disorder
F23	Brief Psychotic Disorder
F23	Brief Psychotic Disorder, With peripartum onset
F50.2	Bulimia Nervosa
F93.9	<b>Childhood Emotional Disorder, Unspecified</b> (In medical record use this ICD-10 code/name with DSM-IV-TR criteria, pg. 134, for Disorders of Infancy, Child, or Adolescence, NOS. Do not use DSM-IV-TR code/name.) <sup>1</sup>
F91.2	Conduct Disorder, Adolescent-Onset Type
F91.1	Conduct Disorder, Childhood-Onset Type
F91.9	Conduct Disorder, Unspecified Onset
F44.4	Conversion Disorder (Functional Neurological Symptom Disorder), With Abnormal Movement
F44.6	Conversion Disorder (Functional Neurological Symptom Disorder), With Anesthesia or Sensory Loss
F44.5	Conversion Disorder (Functional Neurological Symptom Disorder), With Attacks or Seizures
F44.7	Conversion Disorder (Functional Neurological Symptom Disorder), With Mixed Symptoms
F44.6	Conversion Disorder (Functional Neurological Symptom Disorder), With Special Sensory Symptoms
F44.4	Conversion Disorder (Functional Neurological Symptom Disorder), With Speech Symptoms
F44.4	Conversion Disorder (Functional Neurological Symptom Disorder), With Swallowing Symptoms
F44.4	Conversion Disorder (Functional Neurological Symptom Disorder), With Weakness/Paralysis
F34.0	Cyclothymic Disorder
F22	Delusional Disorder
F60.7	Dependent Personality Disorder
F48.1	Depersonalization/Derealization Disorder
F94.2	Disinhibited Social Engagement Disorder
F34.81	Disruptive Mood Dysregulation Disorder
F44.0	Dissociative Amnesia
F44.1	Dissociative Amnesia, With Dissociative Fugue
F44.81	Dissociative Identity Disorder
G25.70	<b>Drug-Induced Movement Disorder, Unspecified</b> (In medical record use this ICD-10 code/name with DSM-IV-TR criteria, pg. 736, for Medication-Induced Movement Disorder NOS. Do not use DSM-IV-TR code/name.) <sup>4</sup>
F98.1	Encopresis
F98.0	Enuresis
F42.4	Excoriation (Skin-Picking) Disorder
F65.2	Exhibitionistic Disorder
G25.9	<b>Extrapyramidal and Movement Disorder, Unspecified</b> (In medical record use this ICD-10 code/name with DSM-IV-TR criteria, pg. 736, for Medication-Induced Movement Disorder NOS. Do not use DSM-IV-TR code/name.) <sup>4</sup>
F68.A	Factitious Disorder Imposed on Another
F68.10	Factitious Disorder Imposed on Self
F65.0	Fetishistic Disorder
F65.81	Frotteuristic Disorder
F63.0	Gambling Disorder
F64.0	Gender Dysphoria In Adolescents and Adults

<sup>1</sup> Use ICD-10 Code/Name with DSM-IV-TR criteria. Do not use DSM-IV code/name.

<sup>2</sup> DSM-5 diagnosis not on DHCS Included list, consider alternative diagnoses.

<sup>3</sup> Diagnosis pending, cannot currently be used.

ACBH Mental Health Outpatient, PES, CSU Medi-Cal Included Diagnosis List by DSM-5 Name  
Effective for dates of service on or after October 1, 2019

ACBH Outpatient Included List	
ICD-10	DSM-5 Name or ICD-10 Name (in bold)
F64.2	Gender Dysphoria In Children
F41.1	Generalized Anxiety Disorder
F60.4	Histrionic Personality Disorder
F42.3	Hoarding Disorder
G24.4	<b>Idiopathic Orofacial Dystonia</b> (In medical record use this ICD-10 code/name with DSM-IV-TR criteria, pg. 736, for Neuroleptic-Induced Tardive Dyskinesia. Do not use DSM-IV-TR code/name.) <sup>4</sup>
F45.21	Illness Anxiety Disorder
F63.81	Intermittent Explosive Disorder
F63.2	Kleptomania
F33.42	Major Depressive Disorder, Recurrent Episode, In Full Remission
F33.41	Major Depressive Disorder, Recurrent Episode, In Partial Remission
F33.0	Major Depressive Disorder, Recurrent Episode, Mild
F33.1	Major Depressive Disorder, Recurrent Episode, Moderate
F33.2	Major Depressive Disorder, Recurrent Episode, Severe
F33.9	Major Depressive Disorder, Recurrent Episode, Unspecified
F33.3	Major Depressive Disorder, Recurrent Episode, With Psychotic Features + <i>Severe</i> specifier
F32.5	Major Depressive Disorder, Single Episode, In Full Remission
F32.4	Major Depressive Disorder, Single Episode, In Partial Remission
F32.0	Major Depressive Disorder, Single Episode, Mild
F32.1	Major Depressive Disorder, Single Episode, Moderate
F32.2	Major Depressive Disorder, Single Episode, Severe
F32.9	Major Depressive Disorder, Single Episode, Unspecified
F32.3	Major Depressive Disorder, Single Episode, With Psychotic Features + <i>Severe</i> specifier
G25.74	Medication-Induced Acute Akathisia <sup>3</sup>
G25.1	Medication-Induced Postural Tremor <sup>3</sup>
F60.81	Narcissistic Personality Disorder
G21.0	Neuroleptic Malignant Syndrome <sup>3</sup>
G21.14	Neuroleptic-Induced Parkinsonism <sup>3</sup>
Z03.89	<b>No Diagnosis or Condition</b> (A beneficiary may be given No Diagnosis at intake, however once the assessment is completed, no claiming can be made with this diagnosis.)
F42.2	Obsessive-Compulsive Disorder
F60.5	Obsessive-Compulsive Personality Disorder
F91.3	Oppositional Defiant Disorder
F93.8	<b>Other Childhood Emotional Disorders</b> (In medical record use this ICD-10 code/name with DSM-IV-TR criteria, pg. 134, for Disorders of Infancy, Child, or Adolescence, NOS. Do not use DSM-IV-TR code/name.) <sup>1</sup>
F98.29	<b>Other Feeding Disorders of Infancy and Early Childhood</b> (In medical record use this ICD-10 code/name with DSM-IV-TR criteria, pg. 107, for Feeding Disorder of Infancy or Early Childhood. Do not use DSM-IV-TR code/name.) <sup>1</sup>
F41.8	Other Specified Anxiety Disorder
F90.8	Other Specified Attention-Deficit/Hyperactivity Disorder
F31.89	Other Specified Bipolar and Related Disorder
F32.89	Other Specified Depressive Disorder
F91.8	Other Specified Disruptive, Impulse-Control, and Conduct Disorder
F44.89	Other Specified Dissociative Disorder
R15.9	Other Specified Elimination Disorder, With Fecal Symptoms <sup>3</sup>
F50.89	Other Specified Feeding or Eating Disorder
F64.8	Other Specified Gender Dysphoria

<sup>1</sup> Use ICD-10 Code/Name with DSM-IV-TR criteria. Do not use DSM-IV code/name.

<sup>2</sup> DSM-5 diagnosis not on DHCS Included list, consider alternative diagnoses.

<sup>3</sup> Diagnosis pending, cannot currently be used.

ACBH Mental Health Outpatient, PES, CSU Medi-Cal Included Diagnosis List by DSM-5 Name  
Effective for dates of service on or after October 1, 2019

<b>ACBH Outpatient Included List</b>	
<b>ICD-10</b>	<b>DSM-5 Name or ICD-10 Name (in bold)</b>
F42.8	Other Specified Obsessive-Compulsive and Related Disorder
F65.89	Other Specified Paraphilic Disorder
F28	Other Specified Schizophrenia Spectrum and Other Psychotic Disorder
F45.8	Other Specified Somatic Symptom and Related Disorder
F95.8	Other Specified Tic Disorder
F43.8	Other Specified Trauma- and Stressor-Related Disorder
F41.0	Panic Disorder
F60.0	Paranoid Personality Disorder
F65.4	Pedophilic Disorder
F95.1	Persistent (Chronic) Motor or Vocal Tic Disorder
F34.1	Persistent Depressive Disorder (Dysthymia)
F50.89	Pica, In Adults
F98.3	Pica, In Children
F43.10	Posttraumatic Stress Disorder
F32.81	Premenstrual Dysphoric Disorder
F95.0	Provisional Tic Disorder
F63.1	Pyromania
F94.1	Reactive Attachment Disorder (Inhibited Type), For Disinhibited Type see below:
F98.21	Rumination Disorder
F25.0	Schizoaffective Disorder, Bipolar Type
F25.1	Schizoaffective Disorder, Depressive Type
F60.1	Schizoid Personality Disorder
F20.9	Schizophrenia
F20.81	Schizophreniform Disorder
F21	Schizotypal Personality Disorder
F94.0	Selective Mutism
F93.0	Separation Anxiety Disorder
F65.51	Sexual Masochism Disorder
F65.52	Sexual Sadism Disorder
F80.82	Social (Pragmatic) Communication Disorder
F40.10	Social Anxiety Disorder (Social Phobia)
F45.1	Somatic Symptom Disorder
F40.218	Specific Phobia, Animal
F40.230	Specific Phobia, Fear Of Blood
F40.231	Specific Phobia, Fear Of Injections and Transfusions
F40.233	Specific Phobia, Fear Of Injury
F40.232	Specific Phobia, Fear Of Other Medical Care
F40.228	Specific Phobia, Natural Environment
F40.298	Specific Phobia, Other
F40.248	Specific Phobia, Situational
F98.4	Stereotypic Movement Disorder
G25.74	Tardive Akathisia <sup>3</sup>
F95.2	Tourette's Disorder
F65.1	Transvestic Disorder
F63.3	Trichotillomania (Hair-Pulling Disorder)
F41.9	Unspecified Anxiety Disorder
F90.9	Unspecified Attention-Deficit/Hyperactivity Disorder
F31.9	Unspecified Bipolar and Related Disorder
F80.9	Unspecified Communication Disorder

<sup>1</sup> Use ICD-10 Code/Name with DSM-IV-TR criteria. Do not use DSM-IV code/name.

<sup>2</sup> DSM-5 diagnosis not on DHCS Included list, consider alternative diagnoses.

<sup>3</sup> Diagnosis pending, cannot currently be used.

ACBH Mental Health Outpatient, PES, CSU Medi-Cal Included Diagnosis List by DSM-5 Name  
 Effective for dates of service on or after October 1, 2019

ACBH Outpatient Included List	
ICD-10	DSM-5 Name or ICD-10 Name (in bold)
F32.9	Unspecified Depressive Disorder
F91.9	Unspecified Disruptive, Impulse-Control, and Conduct Disorder
F44.9	Unspecified Dissociative Disorder
R15.9	Unspecified Elimination Disorder, With Fecal Symptoms <sup>3</sup>
F50.9	Unspecified Feeding or Eating Disorder
F64.9	Unspecified Gender Dysphoria
F42.9	Unspecified Obsessive-Compulsive and Related Disorder
F65.9	Unspecified Paraphilic Disorder
F60.9	Unspecified Personality Disorder
F29	Unspecified Schizophrenia Spectrum and Other Psychotic Disorder
F45.9	Unspecified Somatic Symptom and Related Disorder
F95.9	Unspecified Tic Disorder
F43.9	Unspecified Trauma- and Stressor-Related Disorder
F65.3	Voyeuristic Disorder

Use ICD-10 code and name with criteria from DSM-IV  
 ACBH Included diagnosis

<sup>1</sup> Use ICD-10 Code/Name with DSM-IV-TR criteria. Do not use DSM-IV code/name.

<sup>2</sup> DSM-5 diagnosis not on DHCS Included list, consider alternative diagnoses.

<sup>3</sup> Diagnosis pending, cannot currently be used.