

ACBH Mental Health Inpatient Medi-Cal Included Diagnosis Crosswalk
 Effective for dates of service on and after October 1, 2019
 (Crossed out diagnoses are not allowed. Always use the ICD-10 code)

Instructions: It is highly recommended that inpatient providers use the ACBH list on the right. The left column is the *DHCS Inpatient Included List* (with a few additional diagnoses indicated by "superscript²") from DHCS BHIN 20-043. Due to asynchronous updates of ICD-10 and DSM-5, not all ICD-10 codes on the DHCS list are recommended by ACBH. Regardless, included diagnoses in the DSM-5 must be used first. For included DHCS ICD-10 diagnoses where there are no viable DSM-5 diagnoses to provide criteria, the indicated DSM-IV-TR criteria may be used. For these diagnoses, shaded in green, always use the ICD-10 code and name in the medical record. Do not use DSM-IV-TR names or codes. Diagnoses are repeated when there are multiple potential cross walked diagnoses or different diagnoses with the same code. Diagnoses must be made in accordance with criteria specified in the DSM. Crossed out diagnoses are not allowed for ACBH Medi-Cal claiming.

Specifiers: Both DSM-IV-TR and DSM-5 diagnoses have uncoded specifiers to refine diagnoses. Medical records must include the ICD-10 code and ICD-10 name (with DSM-IV/DSM-5 name preferred), and all relevant specifiers. A few specifiers are included below to indicate accurate cross walked diagnoses; however this is not an exhaustive list.

DHCS Inpatient Included List (except as noted ²)		ACBH Inpatient Included List	
DHCS ICD-10	DHCS ICD-10 Name	ICD-10	DSM-5 Name or ICD-10 Name (in bold)
F01.51	Vascular Dementia With Behavioral Disturbance	F01.51	Probable Major Vascular Neurocognitive Disorder, With Behavioral Disturbance
F10.14	Alcohol Abuse With Alcohol-Induced Mood Disorder	F10.14	Alcohol-Induced Bipolar and Related Disorder, With Mild Use Disorder
		F10.14	Alcohol-Induced Depressive Disorder, With Mild Use Disorder
F10.150	Alcohol Abuse With Alcohol-Induced Psychotic Disorder With Delusions	F10.159	Alcohol-Induced Psychotic Disorder, With Mild Use Disorder
F10.151	Alcohol Abuse With Alcohol-Induced Psychotic Disorder With Hallucinations		
F10.159	Alcohol Abuse With Alcohol-Induced Psychotic Disorder, Unspecified		
F10.180	Alcohol Abuse With Alcohol-Induced Anxiety Disorder	F10.180	Alcohol-Induced Anxiety Disorder, With Mild Use Disorder
F10.24	Alcohol Dependence With Alcohol-Induced Mood Disorder	F10.24	Alcohol-Induced Bipolar and Related Disorder, With Moderate or Severe Use Disorder
		F10.24	Alcohol-Induced Depressive Disorder, With Moderate or Severe Use Disorder
F10.250	Alcohol Dependence With Alcohol-Induced Psychotic Disorder With Delusions	F10.259	Alcohol-Induced Psychotic Disorder, With Moderate or Severe Use Disorder
F10.251	Alcohol Dependence With Alcohol-Induced Psychotic Disorder With Hallucinations		
F10.259	Alcohol Dependence With Alcohol-Induced Psychotic Disorder, Unspecified		
F10.280	Alcohol Dependence With Alcohol-Induced Anxiety Disorder	F10.280	Alcohol-Induced Anxiety Disorder, With Moderate or Severe Use Disorder

¹ Use ICD-10 Code/Name with DSM-IV-TR criteria. Do not use DSM-IV code/name.

² DSM-5 diagnosis not on DHCS Included list, consider alternative diagnoses.

³ Diagnosis pending, cannot currently be used.

ACBH Mental Health Inpatient Medi-Cal Included Diagnosis Crosswalk
 Effective for dates of service on and after October 1, 2019
 (Crossed out diagnoses are not allowed. Always use the ICD-10 code)

DHCS Inpatient Included List (except as noted ²)		ACBH Inpatient Included List	
DHCS ICD-10	DHCS ICD-10 Name	ICD-10	DSM-5 Name or ICD-10 Name (in bold)
F10.94	Alcohol Use, Unspecified, With Alcohol-Induced Mood Disorder	F10.94	Alcohol-Induced Bipolar and Related Disorder, Without Use Disorder
		F10.94	Alcohol-Induced Depressive Disorder, Without Use Disorder
F10.950	Alcohol Use, Unspecified, With Alcohol-Induced Psychotic Disorder With Delusions	F10.959	Alcohol-Induced Psychotic Disorder, Without Use Disorder
F10.951	Alcohol Use, Unspecified, With Alcohol-Induced Psychotic Disorder With Hallucinations		
F10.959	Alcohol Use, Unspecified, With Alcohol-Induced Psychotic Disorder, Unspecified		
F10.980	Alcohol Use, Unspecified With Alcohol-Induced Anxiety Disorder	F10.980	Alcohol-Induced Anxiety Disorder, Without Use Disorder
F11.14	Opioid Abuse With Opioid-Induced Mood Disorder	F11.14	Opioid-Induced Depressive Disorder, With Mild Use Disorder
F11.150	Opioid Abuse With Opioid-Induced Psychotic Disorder With Delusions	F11.150	Opioid Abuse With Opioid-Induced Psychotic Disorder With Delusions (In medical record use this ICD-10 Code/Name with DSM-IV-TR criteria for both Opioid Abuse, pg. 271 & Opioid-Induced Psychotic Disorder, With Delusions, pg. 338. Do not use DSM-IV-TR Code/Name.) ¹
F11.151	Opioid Abuse With Opioid-Induced Psychotic Disorder With Hallucinations	F11.151	Opioid Abuse With Opioid-Induced Psychotic Disorder With Hallucinations (In medical record use this ICD-10 Code/Name with DSM-IV-TR criteria for both Opioid Abuse, pg. 271 & Opioid-Induced Psychotic Disorder, With Hallucinations, pg. 338. Do not use DSM-IV-TR Code/Name.) ¹
F11.159	Opioid Abuse With Opioid-Induced Psychotic Disorder, Unspecified	F11.150	Opioid Abuse With Opioid-Induced Psychotic Disorder With Delusions (In medical record use this ICD-10 Code/Name with DSM-IV-TR criteria for both Opioid Abuse, pg. 271 & Opioid-Induced Psychotic Disorder, With Delusions, pg. 338. Do not use DSM-IV-TR Code/Name.) ¹
		F11.151	Opioid Abuse With Opioid-Induced Psychotic Disorder With Hallucinations (In medical record use this ICD-10 Code/Name with DSM-IV-TR criteria for both Opioid Abuse, pg. 271 & Opioid-Induced Psychotic Disorder, With Hallucinations, pg. 338. Do not use DSM-IV-TR Code/Name.) ¹
F11.24	Opioid Dependence With Opioid-Induced Mood Disorder	F11.24	Opioid-Induced Depressive Disorder, With Moderate or Severe Use Disorder

¹ Use ICD-10 Code/Name with DSM-IV-TR criteria. Do not use DSM-IV code/name.

² DSM-5 diagnosis not on DHCS Included list, consider alternative diagnoses.

³ Diagnosis pending, cannot currently be used.

ACBH Mental Health Inpatient Medi-Cal Included Diagnosis Crosswalk
 Effective for dates of service on and after October 1, 2019
 (Crossed out diagnoses are not allowed. Always use the ICD-10 code)

DHCS Inpatient Included List (except as noted ²)		ACBH Inpatient Included List	
DHCS ICD-10	DHCS ICD-10 Name	ICD-10	DSM-5 Name or ICD-10 Name (in bold)
F11.250	Opioid Dependence With Opioid-Induced Psychotic Disorder With Delusions	F11.250	Opioid Dependence With Opioid-Induced Psychotic Disorder With Delusions (In medical record use this ICD-10 Code/Name with DSM-IV-TR criteria for both Opioid Dependence, pg. 270 & Opioid-Induced Psychotic Disorder, With Delusions, pg. 338. Do not use DSM-IV-TR Code/Name.) ¹
F11.251	Opioid Dependence With Opioid-Induced Psychotic Disorder With Hallucinations	F11.251	Opioid Dependence With Opioid-Induced Psychotic Disorder With Hallucinations (In medical record use this ICD-10 Code/Name with DSM-IV-TR criteria for both Opioid Dependence, pg. 270 & Opioid-Induced Psychotic Disorder, With Hallucinations, pg. 338. Do not use DSM-IV-TR Code/Name.) ¹
F11.259	Opioid dependence with opioid-induced psychotic disorder, unspecified	F11.250	Opioid Dependence With Opioid-Induced Psychotic Disorder With Delusions (In medical record use this ICD-10 Code/Name with DSM-IV-TR criteria for both Opioid Dependence, pg. 270 & Opioid-Induced Psychotic Disorder, With Delusions, pg. 338. Do not use DSM-IV-TR Code/Name.) ¹
		F11.251	Opioid Dependence With Opioid-Induced Psychotic Disorder With Hallucinations (In medical record use this ICD-10 Code/Name with DSM-IV-TR criteria for both Opioid Dependence, pg. 270 & Opioid-Induced Psychotic Disorder, With Hallucinations, pg. 338. Do not use DSM-IV-TR Code/Name.) ¹
F11.94	Opioid Use, Unspecified With Opioid-Induced Mood Disorder	F11.94	Opioid-Induced Depressive Disorder, Without Use Disorder
F11.950	Opioid Use, Unspecified, With Opioid-Induced Psychotic Disorder With Delusions	F11.150	Opioid Abuse With Opioid-Induced Psychotic Disorder With Delusions (In medical record use this ICD-10 Code/Name with DSM-IV-TR criteria for both Opioid Abuse, pg. 271 & Opioid-Induced Psychotic Disorder, With Delusions, pg. 338. Do not use DSM-IV-TR Code/Name.) ¹ ; OR
F11.950	Opioid Use, Unspecified, With Opioid-Induced Psychotic Disorder With Delusions	F11.250	Opioid Dependence With Opioid-Induced Psychotic Disorder With Delusions (In medical record use this ICD-10 Code/Name with DSM-IV-TR criteria for both Opioid Dependence, pg. 270 & Opioid-Induced Psychotic Disorder, With Delusions, pg. 338. Do not use DSM-IV-TR Code/Name.) ¹
F11.951	Opioid Use, Unspecified, With Opioid-Induced Psychotic Disorder With Hallucinations	F11.151	Opioid Abuse With Opioid-Induced Psychotic Disorder With Hallucinations (In medical record use this ICD-10 Code/Name with DSM-IV-TR criteria for both Opioid Abuse, pg. 271 & Opioid-Induced Psychotic Disorder, With Hallucinations, pg. 338. Do not use DSM-IV-TR Code/Name.) ¹ ; OR

¹ Use ICD-10 Code/Name with DSM-IV-TR criteria. Do not use DSM-IV code/name.

² DSM-5 diagnosis not on DHCS Included list, consider alternative diagnoses.

³ Diagnosis pending, cannot currently be used.

ACBH Mental Health Inpatient Medi-Cal Included Diagnosis Crosswalk
 Effective for dates of service on and after October 1, 2019
 (Crossed out diagnoses are not allowed. Always use the ICD-10 code)

DHCS Inpatient Included List (except as noted ²)		ACBH Inpatient Included List	
DHCS ICD-10	DHCS ICD-10 Name	ICD-10	DSM-5 Name or ICD-10 Name (in bold)
F11.951	Opioid Use, Unspecified, With Opioid-Induced Psychotic Disorder With Hallucinations	F11.251	Opioid Dependence With Opioid-Induced Psychotic Disorder With Hallucinations (In medical record use this ICD-10 Code/Name with DSM-IV-TR criteria for both Opioid Dependence, pg. 270 & Opioid-Induced Psychotic Disorder, With Hallucinations, pg. 338. Do not use DSM-IV-TR Code/Name.) ¹
F11.959	Opioid use, unspecified with opioid-induced psychotic disorder, unspecified	F11.151	Opioid Abuse With Opioid-Induced Psychotic Disorder With Hallucinations (In medical record use this ICD-10 Code/Name with DSM-IV-TR criteria for both Opioid Abuse, pg. 271 & Opioid-Induced Psychotic Disorder, With Hallucinations, pg. 338. Do not use DSM-IV-TR Code/Name.) ¹ ; OR
		F11.251	Opioid Dependence With Opioid-Induced Psychotic Disorder With Hallucinations (In medical record use this ICD-10 Code/Name with DSM-IV-TR criteria for both Opioid Dependence, pg. 270 & Opioid-Induced Psychotic Disorder, With Hallucinations, pg. 338. Do not use DSM-IV-TR Code/Name.) ¹
F11.988	Opioid-Induced Anxiety Disorder Without Opioid Use Disorder	F11.988	Opioid-Induced Anxiety Disorder, Without Use Disorder
F12.150	Cannabis Abuse With Psychotic Disorder With Delusions	F12.159	Cannabis-Induced Psychotic Disorder, With Mild Use Disorder
F12.151	Cannabis Abuse With Cannabis-Induced Psychotic Disorder With Hallucinations		
F12.159	Cannabis abuse with psychotic disorder, unspecified		
F12.180	Cannabis Abuse With Cannabis-Induced Anxiety Disorder	F12.180	Cannabis-Induced Anxiety Disorder, With Mild Use Disorder
F12.250	Cannabis Dependence With Psychotic Disorder With Delusions	F12.259	Cannabis-Induced Psychotic Disorder, With Moderate or Severe Use Disorder
F12.251	Cannabis Dependence With Cannabis-Induced Psychotic Disorder With Hallucinations		
F12.259	Cannabis dependence with psychotic disorder, unspecified		
F12.280	Cannabis Dependence With Cannabis-Induced Anxiety Disorder	F12.280	Cannabis-Induced Anxiety Disorder, With Moderate or Severe Use Disorder
F12.950	Cannabis Use, Unspecified, With Psychotic Disorder With Delusions	F12.959	Cannabis-Induced psychotic disorder, Without Use Disorder
F12.951	Cannabis Use, Unspecified With Cannabis-Induced Psychotic Disorder With Hallucinations		
F12.959	Cannabis use, unspecified with psychotic disorder, unspecified		
F12.980	Cannabis Use, Unspecified, With Cannabis-Induced Anxiety Disorder	F12.980	Cannabis-Induced Anxiety Disorder, Without Use Disorder

¹ Use ICD-10 Code/Name with DSM-IV-TR criteria. Do not use DSM-IV code/name.

² DSM-5 diagnosis not on DHCS Included list, consider alternative diagnoses.

³ Diagnosis pending, cannot currently be used.

ACBH Mental Health Inpatient Medi-Cal Included Diagnosis Crosswalk
 Effective for dates of service on and after October 1, 2019
 (Crossed out diagnoses are not allowed. Always use the ICD-10 code)

DHCS Inpatient Included List (except as noted ²)		ACBH Inpatient Included List	
DHCS ICD-10	DHCS ICD-10 Name	ICD-10	DSM-5 Name or ICD-10 Name (in bold)
F13.14	Sedative, Hypnotic or Anxiolytic Abuse with Sedative-, Hypnotic-, or Anxiolytic-Induced Mood Disorder	F13.14	Sedative-, Hypnotic-, or Anxiolytic-Induced Bipolar and Related Disorder, With Mild Use Disorder
		F13.14	Sedative-, Hypnotic-, or Anxiolytic-Induced Depressive Disorder, With Mild Use Disorder
F13.150	Sedative, Hypnotic, or Anxiolytic Abuse with Sedative-, Hypnotic-, or Anxiolytic-Induced Psychotic Disorder With Delusions	F13.159	Sedative-, Hypnotic-, or Anxiolytic-Induced Psychotic Disorder, With Mild Use Disorder
F13.151	Sedative, Hypnotic, or Anxiolytic Abuse With Sedative-, Hypnotic-, or Anxiolytic-Induced Psychotic Disorder With Hallucinations		
F13.159	Sedative, hypnotic or anxiolytic abuse with sedative, hypnotic or anxiolytic-induced psychotic disorder, unspecified		
F13.180	Sedative, Hypnotic or Anxiolytic Abuse With Sedative-, Hypnotic-, or Anxiolytic-Induced Anxiety Disorder	F13.180	Sedative-, Hypnotic-, or Anxiolytic-Induced Anxiety Disorder, With Mild Use Disorder
F13.24	Sedative, Hypnotic or Anxiolytic Dependence With Sedative-, Hypnotic-, or Anxiolytic-Induced Mood Disorder	F13.24	Sedative-, Hypnotic, or Anxiolytic-Induced Bipolar and Related Disorder, With Moderate or Severe Use Disorder
		F13.24	Sedative-, Hypnotic-, or Anxiolytic-Induced Depressive Disorder, With Moderate or Severe Use Disorder
F13.250	Sedative, Hypnotic, or Anxiolytic Dependence With Sedative-, Hypnotic-, or Anxiolytic-Induced Psychotic Disorder With Delusions	F13.259	Sedative-, Hypnotic-, or Anxiolytic-Induced psychotic disorder, with Moderate or Severe Use Disorder
F13.251	Sedative, Hypnotic, or Anxiolytic Dependence With Sedative-, Hypnotic-, or Anxiolytic-Induced Psychotic Disorder with Hallucinations		
F13.259	Sedative, hypnotic or anxiolytic dependence with sedative, hypnotic or anxiolytic-induced psychotic disorder, unspecified		
F13.280	Sedative, Hypnotic or Anxiolytic Dependence With Sedative-, Hypnotic-, or Anxiolytic-Induced Anxiety Disorder	F13.280	Sedative-, Hypnotic, or Anxiolytic-Induced Anxiety Disorder, With Moderate or Severe Use Disorder

¹ Use ICD-10 Code/Name with DSM-IV-TR criteria. Do not use DSM-IV code/name.

² DSM-5 diagnosis not on DHCS Included list, consider alternative diagnoses.

³ Diagnosis pending, cannot currently be used.

ACBH Mental Health Inpatient Medi-Cal Included Diagnosis Crosswalk
 Effective for dates of service on and after October 1, 2019
 (Crossed out diagnoses are not allowed. Always use the ICD-10 code)

DHCS Inpatient Included List (except as noted ²)		ACBH Inpatient Included List	
DHCS ICD-10	DHCS ICD-10 Name	ICD-10	DSM-5 Name or ICD-10 Name (in bold)
F13.94	Sedative, Hypnotic or Anxiolytic Use, Unspecified, With Sedative-, Hypnotic-, or Anxiolytic-Induced Mood Disorder	F13.94	Sedative-, Hypnotic-, or Anxiolytic-Induced Bipolar and Related Disorder, Without Use Disorder
		F13.94	Sedative-, Hypnotic-, or Anxiolytic-Induced Depressive Disorder, Without Use Disorder
F13.950	Sedative, Hypnotic, or Anxiolytic Use, Unspecified, With Sedative-, Hypnotic-, or Anxiolytic-Induced Psychotic Disorder With Delusions	F13.959	Sedative-, Hypnotic-, or Anxiolytic-Induced Psychotic Disorder, Without Use Disorder
F13.951	Sedative, Hypnotic, or Anxiolytic Use, Unspecified, With Sedative-, Hypnotic-, or Anxiolytic-Induced Psychotic Disorder With Hallucinations		
F13.959	Sedative, hypnotic or anxiolytic use, unspecified with sedative, hypnotic or anxiolytic-induced psychotic disorder, unspecified		
F13.980	Sedative, Hypnotic or Anxiolytic Use, Unspecified, With Sedative-, Hypnotic-, or Anxiolytic-Induced Anxiety Disorder	F13.980	Sedative-, Hypnotic-, or Anxiolytic-Induced Anxiety Disorder, Without Use Disorder
F14.14	Cocaine Abuse With Cocaine-Induced Mood Disorder	F14.14	Cocaine-Induced Bipolar and Related Disorder, With Mild Use Disorder
		F14.14	Cocaine-Induced Depressive Disorder, With Mild Use Disorder
F14.150	Cocaine Abuse With Cocaine-Induced Psychotic Disorder With Delusions	F14.159	Cocaine-Induced Psychotic Disorder, With Mild Use Disorder
F14.151	Cocaine Abuse With Cocaine-Induced Psychotic Disorder With Hallucinations		
F14.159	Cocaine abuse with cocaine-induced psychotic disorder, unspecified		
F14.180	Cocaine Abuse With Cocaine-Induced Anxiety Disorder	F14.180	Cocaine-Induced Anxiety Disorder, With Mild Use Disorder
F14.24	Cocaine Dependence With Cocaine-Induced Mood Disorder	F14.24	Cocaine-Induced Bipolar and Related Disorder, With Moderate or Severe Use Disorder
		F14.24	Cocaine-Induced Depressive Disorder, With Moderate or Severe Use Disorder

¹ Use ICD-10 Code/Name with DSM-IV-TR criteria. Do not use DSM-IV code/name.

² DSM-5 diagnosis not on DHCS Included list, consider alternative diagnoses.

³ Diagnosis pending, cannot currently be used.

ACBH Mental Health Inpatient Medi-Cal Included Diagnosis Crosswalk
 Effective for dates of service on and after October 1, 2019
 (Crossed out diagnoses are not allowed. Always use the ICD-10 code)

DHCS Inpatient Included List (except as noted ²)		ACBH Inpatient Included List	
DHCS ICD-10	DHCS ICD-10 Name	ICD-10	DSM-5 Name or ICD-10 Name (in bold)
F14.250	Cocaine Dependence With Cocaine-Induced Psychotic Disorder With Delusions	F14.259	Cocaine-Induced Psychotic Disorder, With Moderate or Severe Use Disorder
F14.251	Cocaine Dependence With Cocaine-Induced Psychotic Disorder With Hallucinations		
F14.259	Cocaine dependence with cocaine-induced psychotic disorder, unspecified		
F14.280	Cocaine Dependence With Cocaine-Induced Anxiety Disorder	F14.280	Cocaine-Induced Anxiety Disorder, With Moderate or Severe Use Disorder
F14.94	Cocaine Use, Unspecified, With Cocaine-Induced Mood Disorder	F14.94	Cocaine-Induced Bipolar and Related Disorder, Without Use Disorder
		F14.94	Cocaine-Induced Depressive Disorder, Without Use Disorder
F14.950	Cocaine Use, Unspecified, With Cocaine-Induced Psychotic Disorder With Delusions	F14.959	Cocaine-Induced Psychotic Disorder, Without Use Disorder
F14.951	Cocaine Use, Unspecified, With Cocaine-Induced Psychotic Disorder With Hallucinations		
F14.959	Cocaine use, unspecified with cocaine-induced psychotic disorder, unspecified		
F14.980	Cocaine Use, Unspecified, With Cocaine-Induced Anxiety Disorder	F14.980	Cocaine-Induced Anxiety Disorder, Without Use Disorder
F15.14	Other Stimulant Abuse With Stimulant-Induced Mood Disorder	F15.14	Amphetamine (or Other Stimulant)-Induced Bipolar and Related Disorder, With Mild Use Disorder
		F15.14	Amphetamine (or Other Stimulant)- Induced Depressive Disorder, With Mild Use Disorder
F15.150	Other Stimulant Abuse With Stimulant-Induced Psychotic Disorder With Delusions	F15.159	Amphetamine (or other stimulant)-Induced psychotic disorder, with mild use disorder
F15.151	Other Stimulant Abuse With Stimulant-Induced Psychotic Disorder With Hallucinations		
F15.159	Other stimulant abuse with stimulant-induced psychotic disorder, unspecified		
F15.180	Other Stimulant Abuse With Stimulant-Induced Anxiety Disorder	F15.180	Amphetamine (or Other Stimulant)- Induced Anxiety Disorder, With Mild Use Disorder

¹ Use ICD-10 Code/Name with DSM-IV-TR criteria. Do not use DSM-IV code/name.

²DSM-5 diagnosis not on DHCS Included list, consider alternative diagnoses.

³Diagnosis pending, cannot currently be used.

ACBH Mental Health Inpatient Medi-Cal Included Diagnosis Crosswalk
 Effective for dates of service on and after October 1, 2019
 (Crossed out diagnoses are not allowed. Always use the ICD-10 code)

DHCS Inpatient Included List (except as noted ²)		ACBH Inpatient Included List	
DHCS ICD-10	DHCS ICD-10 Name	ICD-10	DSM-5 Name or ICD-10 Name (in bold)
F15.24	Other Stimulant Dependence With Stimulant-Induced Mood Disorder	F15.24	Amphetamine (or Other Stimulant)-Induced Bipolar and Related Disorder, With Moderate or Severe Use Disorder
		F15.24	Amphetamine (or Other-Stimulant)-Induced Depressive Disorder, With Moderate or Severe Use Disorder
F15.250	Other Stimulant Dependence with Stimulant-Induced Psychotic Disorder With Delusions	F15.259	Amphetamine (or Other Stimulant)-Induced Psychotic Disorder, With Moderate or Severe Use Disorder
F15.251	Other Stimulant Dependence With Stimulant-Induced Psychotic Disorder With Hallucinations		
F15.259	Other stimulant dependence with stimulant-induced psychotic disorder, unspecified		
F15.280	Other Stimulant Dependence With Stimulant-Induced Anxiety Disorder	F15.280	Amphetamine (or Other Stimulant)-Induced Anxiety Disorder, With Moderate or Severe Use Disorder
F15.94	Other Stimulant Use, Unspecified, With Stimulant- Induced Mood Disorder	F15.94	Amphetamine (or Other Stimulant)-Induced Bipolar and Related Disorder, Without Use Disorder
		F15.94	Amphetamine (or Other Stimulant)-Induced Depressive Disorder, Without Use Disorder
F15.950	Other Stimulant Use, Unspecified With Stimulant-Induced Psychotic Disorder With Delusions	F15.959	Amphetamine (or Other Stimulant)-induced psychotic disorder, Without Use Disorder
F15.951	Other Stimulant Use, Unspecified, With Stimulant- Induced Psychotic Disorder With Hallucinations		
F15.959	Other stimulant use, unspecified with stimulant-induced psychotic disorder, unspecified		
F15.980	Other Stimulant Use, Unspecified, With Stimulant- Induced Anxiety Disorder	F15.980	Amphetamine (or Other Stimulant)-Induced Anxiety Disorder, Without Use Disorder
F16.14	Hallucinogen Abuse With Hallucinogen-Induced Mood Disorder	F16.14	Other Hallucinogen-Induced Bipolar and Related Disorder, With Mild Use Disorder
		F16.14	Other Hallucinogen-Induced Depressive Disorder, With Mild Use Disorder
		F16.14	Phencyclidine-Induced Bipolar and Related Disorder, With Mild Use Disorder
		F16.14	Phencyclidine-Induced Depressive Disorder, With Mild Use Disorder

¹ Use ICD-10 Code/Name with DSM-IV-TR criteria. Do not use DSM-IV code/name.

²DSM-5 diagnosis not on DHCS Included list, consider alternative diagnoses.

³Diagnosis pending, cannot currently be used.

ACBH Mental Health Inpatient Medi-Cal Included Diagnosis Crosswalk
 Effective for dates of service on and after October 1, 2019
 (Crossed out diagnoses are not allowed. Always use the ICD-10 code)

DHCS Inpatient Included List (except as noted ²)		ACBH Inpatient Included List	
DHCS ICD-10	DHCS ICD-10 Name	ICD-10	DSM-5 Name or ICD-10 Name (in bold)
F16.150	Hallucinogen Abuse With Hallucinogen-Induced Psychotic Disorder With Delusions	F16.159	Other Hallucinogen-Induced Psychotic Disorder, With Mild Use Disorder
		F16.159	Phencyclidine-Induced psychotic disorder, with mild use disorder
F16.151	Hallucinogen Abuse With Hallucinogen-Induced Psychotic Disorder With Hallucinations	F16.159	Other Hallucinogen-Induced Psychotic Disorder, With Mild Use Disorder
		F16.159	Phencyclidine-Induced psychotic disorder, with mild use disorder
F16.159	Hallucinogen abuse with hallucinogen-induced psychotic disorder, unspecified	F16.159	Other Hallucinogen-Induced Psychotic Disorder, With Mild Use Disorder
		F16.159	Phencyclidine-Induced psychotic disorder, with mild use disorder
F16.180	Hallucinogen Abuse With Hallucinogen-Induced Anxiety Disorder	F16.180	Other Hallucinogen-Induced Anxiety Disorder, With Mild Use Disorder
		F16.180	Phencyclidine-Induced Anxiety Disorder, With Mild Use Disorder
F16.183	Hallucinogen Abuse With Hallucinogen Persisting Perception Disorder (Flashbacks)	F16.183	Hallucinogen Abuse With Hallucinogen Persisting Perception Disorder (Flashbacks) (In medical record use this ICD-10 Code/Name with DSM-IV-TR criteria for both Hallucinogen Abuse, pg. 252 & Hallucinogen Persisting Perception Disorder (Flashbacks), pg. 253. Do not use DSM-IV-TR Code/Name.) ¹
F16.24	Hallucinogen Dependence With Hallucinogen-Induced Mood Disorder	F16.24	Other Hallucinogen-Induced Bipolar and Related Disorder, With Moderate or Severe Use Disorder
		F16.24	Other Hallucinogen-Induced Depressive Disorder, With Moderate or Severe Use Disorder
		F16.24	Phencyclidine-Induced Bipolar and Related Disorder, With Moderate or Severe Use Disorder
		F16.24	Phencyclidine-Induced Depressive Disorder, With Moderate or Severe Use Disorder

¹ Use ICD-10 Code/Name with DSM-IV-TR criteria. Do not use DSM-IV code/name.

² DSM-5 diagnosis not on DHCS Included list, consider alternative diagnoses.

³ Diagnosis pending, cannot currently be used.

ACBH Mental Health Inpatient Medi-Cal Included Diagnosis Crosswalk
 Effective for dates of service on and after October 1, 2019
 (Crossed out diagnoses are not allowed. Always use the ICD-10 code)

DHCS Inpatient Included List (except as noted ²)		ACBH Inpatient Included List	
DHCS ICD-10	DHCS ICD-10 Name	ICD-10	DSM-5 Name or ICD-10 Name (in bold)
F16.250	Hallucinogen Dependence With Hallucinogen-Induced Psychotic Disorder With Delusions	F16.259	Phencyclidine-Induced Psychotic disorder, With Moderate or Severe Use Disorder
		F16.259	Other Hallucinogen-Induced Psychotic Disorder, With Moderate or Severe Use Disorder
F16.251	Hallucinogen Dependence With Hallucinogen-Induced Psychotic Disorder With Hallucinations	F16.259	Phencyclidine-Induced Psychotic disorder, With Moderate or Severe Use Disorder
		F16.259	Other Hallucinogen-Induced Psychotic Disorder, With Moderate or Severe Use Disorder
F16.259	Hallucinogen dependence with hallucinogen-induced psychotic disorder, unspecified	F16.259	Phencyclidine-Induced Psychotic disorder, With Moderate or Severe Use Disorder
		F16.259	Other Hallucinogen-Induced Psychotic Disorder, With Moderate or Severe Use Disorder
F16.280	Hallucinogen Dependence With Hallucinogen-Induced Anxiety Disorder	F16.280	Other Hallucinogen-Induced Anxiety Disorder, With Moderate or Severe Use Disorder
		F16.280	Phencyclidine-Induced Anxiety Disorder, With Moderate or Severe Use Disorder
F16.283	Hallucinogen Dependence With Hallucinogen Persisting Perception Disorder (Flashbacks)	F16.283	Hallucinogen Dependence With Hallucinogen Persisting Perception Disorder (Flashbacks) (In medical record use this ICD-10 Code/Name with DSM-IV-TR criteria for both Hallucinogen Dependence, pg. 251 & Hallucinogen Persisting Perception Disorder (Flashbacks), pg. 253. Do not use DSM-IV-TR Code/Name.) ¹
F16.94	Hallucinogen Use, Unspecified, With Hallucinogen- Induced Mood Disorder	F16.94	Other Hallucinogen-Induced Bipolar and Related Disorder, Without Use Disorder
		F16.94	Other Hallucinogen-Induced Depressive Disorder, Without Use Disorder
		F16.94	Phencyclidine-Induced Bipolar and Related Disorder, Without Use Disorder
		F16.94	Phencyclidine-Induced Depressive Disorder, Without Use Disorder

¹ Use ICD-10 Code/Name with DSM-IV-TR criteria. Do not use DSM-IV code/name.

² DSM-5 diagnosis not on DHCS Included list, consider alternative diagnoses.

³ Diagnosis pending, cannot currently be used.

ACBH Mental Health Inpatient Medi-Cal Included Diagnosis Crosswalk
 Effective for dates of service on and after October 1, 2019
 (Crossed out diagnoses are not allowed. Always use the ICD-10 code)

DHCS Inpatient Included List (except as noted ²)		ACBH Inpatient Included List	
DHCS ICD-10	DHCS ICD-10 Name	ICD-10	DSM-5 Name or ICD-10 Name (in bold)
F16.950	Hallucinogen Use, Unspecified, With Hallucinogen- Induced Psychotic Disorder With Delusions	F16.959	Other Hallucinogen-Induced Psychotic Disorder, Without Use Disorder
		F16.959	Phencyclidine-Induced Psychotic Disorder, Without Use Disorder
F16.951	Hallucinogen Use, Unspecified, With Hallucinogen- Induced Psychotic Disorder With Hallucinations	F16.959	Other Hallucinogen-Induced Psychotic Disorder, Without Use Disorder
		F16.959	Phencyclidine-Induced Psychotic Disorder, Without Use Disorder
F16.959	Hallucinogen use, unspecified with hallucinogen-induced psychotic disorder, unspecified	F16.959	Other Hallucinogen-Induced Psychotic Disorder, Without Use Disorder
		F16.959	Phencyclidine-Induced Psychotic Disorder, Without Use Disorder
F16.980	Hallucinogen Use, Unspecified, With Hallucinogen- Induced Anxiety Disorder	F16.980	Other Hallucinogen-Induced Anxiety Disorder, Without Use Disorder
		F16.980	Phencyclidine-Induced Anxiety Disorder, Without Use Disorder
F16.983	Hallucinogen Use, Unspecified, With Hallucinogen Persisting Perception Disorder (Flashbacks)	F16.983	Hallucinogen Persisting Perception Disorder
F18.14	Inhalant Abuse With Inhalant-Induced Mood Disorder	F18.14	Inhalant-Induced Depressive Disorder, With Mild Use Disorder
F18.150	Inhalant Abuse With Inhalant-Induced Psychotic Disorder With Delusions	F18.159	Inhalant-Induced Psychotic Disorder, With Mild Use Disorder
F18.151	Inhalant Abuse With Inhalant-Induced Psychotic Disorder With Hallucinations		
F18.159	Inhalant abuse with inhalant-induced psychotic disorder, unspecified		
F18.180	Inhalant Abuse With Inhalant-Induced Anxiety Disorder	F18.180	Inhalant-Induced Anxiety Disorder, With Mild Use Disorder
F18.24	Inhalant Dependence With Inhalant-Induced Mood Disorder	F18.24	Inhalant-Induced Depressive Disorder, With Moderate or Severe Use Disorder

¹ Use ICD-10 Code/Name with DSM-IV-TR criteria. Do not use DSM-IV code/name.

²DSM-5 diagnosis not on DHCS Included list, consider alternative diagnoses.

³Diagnosis pending, cannot currently be used.

ACBH Mental Health Inpatient Medi-Cal Included Diagnosis Crosswalk
 Effective for dates of service on and after October 1, 2019
 (Crossed out diagnoses are not allowed. Always use the ICD-10 code)

DHCS Inpatient Included List (except as noted ²)		ACBH Inpatient Included List	
DHCS ICD-10	DHCS ICD-10 Name	ICD-10	DSM-5 Name or ICD-10 Name (in bold)
F18.250	Inhalant Dependence With Inhalant-Induced Psychotic Disorder With Delusions	F18.259	Inhalant-induced Psychotic Disorder, With Moderate or Severe Use Disorder
F18.251	Inhalant Dependence With Inhalant-Induced Psychotic Disorder With Hallucinations		
F18.259	Inhalant dependence with inhalant-induced psychotic disorder, unspecified		
F18.280	Inhalant Dependence With Inhalant-Induced Anxiety Disorder	F18.280	Inhalant-Induced Anxiety Disorder, With Moderate or Severe Use Disorder
F18.94	Inhalant Use, Unspecified, With Inhalant-Induced Mood Disorder	F18.94	Inhalant-Induced Depressive Disorder, Without Use Disorder
F18.950	Inhalant Use, Unspecified, With Inhalant-Induced Psychotic Disorder With Delusions	F18.959	Inhalant-Induced Psychotic Disorder, Without Use Disorder
F18.951	Inhalant Use, Unspecified, With Inhalant-Induced Psychotic Disorder With Hallucinations		
F18.959	Inhalant use, unspecified with inhalant-induced psychotic disorder, unspecified		
F18.980	Inhalant Use, Unspecified, With Inhalant-Induced Anxiety Disorder	F18.980	Inhalant-Induced Anxiety Disorder, Without Use Disorder
F19.14	Other Psychoactive Substance Abuse With Psychoactive Substance-Induced Mood Disorder	F19.14	Other (or Unknown) Substance-Induced Bipolar and Related Disorder, With Mild Use Disorder
		F19.14	Other (or Unknown) Substance-Induced Depressive Disorder, With Mild Use Disorder
F19.150	Other Psychoactive Substance Abuse With Psychoactive Substance-Induced Psychotic Disorder With Delusions	F19.159	Other (or Unknown) Substance-Induced Psychotic Disorder, With Mild Use Disorder
F19.151	Other Psychoactive Substance Abuse With Psychoactive Substance-Induced Psychotic Disorder With Hallucinations		
F19.159	Other psychoactive substance abuse with psychoactive substance-induced psychotic disorder, unspecified		
F19.180	Other Psychoactive Substance Abuse With Psychoactive Substance-Induced Anxiety Disorder	F19.180	Other (or Unknown) Substance-Induced Anxiety Disorder, With Mild Use Disorder

¹ Use ICD-10 Code/Name with DSM-IV-TR criteria. Do not use DSM-IV code/name.

² DSM-5 diagnosis not on DHCS Included list, consider alternative diagnoses.

³ Diagnosis pending, cannot currently be used.

ACBH Mental Health Inpatient Medi-Cal Included Diagnosis Crosswalk
 Effective for dates of service on and after October 1, 2019
 (Crossed out diagnoses are not allowed. Always use the ICD-10 code)

DHCS Inpatient Included List (except as noted ²)		ACBH Inpatient Included List	
DHCS ICD-10	DHCS ICD-10 Name	ICD-10	DSM-5 Name or ICD-10 Name (in bold)
F19.24	Other Psychoactive Substance Dependence With Psychoactive Substance-Induced Mood Disorder	F19.24	Other (or Unknown) Substance-Induced Bipolar and Related Disorder, With Moderate or Severe Use Disorder
		F19.24	Other (or Unknown) Substance-Induced Depressive Disorder, With Moderate or Severe Use Disorder
F19.250	Other Psychoactive Substance Dependence With Psychoactive Substance-Induced Psychotic Disorder With Delusions	F19.259	Other (or Unknown) Substance-Induced Psychotic Disorder, With Moderate or Severe Use Disorder
F19.251	Other Psychoactive Substance Dependence With Psychoactive Substance-Induced Psychotic Disorder With Hallucinations		
F19.259	Other psychoactive substance dependence with psychoactive substance-induced psychotic disorder, unspecified		
F19.280	Other Psychoactive Substance Dependence With Psychoactive Substance-Induced Anxiety Disorder	F19.280	Other (or Unknown) Substance-Induced Anxiety Disorder, With Moderate or Severe Use Disorder
F19.94	Other Psychoactive Substance Use, Unspecified, With Psychoactive Substance-Induced Mood Disorder	F19.94	Other (or Unknown) Substance-Induced Bipolar and Related Disorder, Without Use Disorder
		F19.94	Other (or Unknown) Substance-Induced Depressive Disorder, Without Use Disorder
F19.950	Other Psychoactive Substance Use, Unspecified, With Psychoactive Substance-Induced Psychotic Disorder With Delusions	F19.959	Other (or unknown) Substance-Induced Psychotic Disorder, Without Use Disorder
F19.951	Other Psychoactive Substance Use, Unspecified, With Psychoactive Substance-Induced Psychotic Disorder With Hallucinations		
F19.959	Other psychoactive substance use, unspecified with psychoactive substance-induced psychotic disorder, unspecified		
F19.980	Other Psychoactive Substance Use, Unspecified, With Psychoactive Substance-Induced Anxiety Disorder	F19.980	Other (or Unknown) Substance-Induced Anxiety Disorder, Without Use Disorder
F20.0	Paranoid Schizophrenia	F20.9	Schizophrenia
F20.1	Disorganized Schizophrenia		
F20.2	Catatonic Schizophrenia		
		F20.9	Schizophrenia <i>with catatonia</i> specifier

¹ Use ICD-10 Code/Name with DSM-IV-TR criteria. Do not use DSM-IV code/name.

² DSM-5 diagnosis not on DHCS Included list, consider alternative diagnoses.

³ Diagnosis pending, cannot currently be used.

ACBH Mental Health Inpatient Medi-Cal Included Diagnosis Crosswalk
 Effective for dates of service on and after October 1, 2019
 (Crossed out diagnoses are not allowed. Always use the ICD-10 code)

DHCS Inpatient Included List (except as noted ²)		ACBH Inpatient Included List	
DHCS ICD-10	DHCS ICD-10 Name	ICD-10	DSM-5 Name or ICD-10 Name (in bold)
F20.3	Undifferentiated Schizophrenia	F20.9	Schizophrenia
F20.5	Residual Schizophrenia		
F20.81	Schizophreniform Disorder		
F20.89	Other Schizophrenia	F20.81	Schizophreniform Disorder
		F20.9	Schizophrenia
F20.9	Schizophrenia, Unspecified	F28	Other Specified Schizophrenia Spectrum and Other Psychotic Disorder
		F20.9	Schizophrenia
F21	Schizotypal Disorder	F29	Unspecified Schizophrenia Spectrum and Other Psychotic Disorder
F22	Delusional Disorders	F21	Schizotypal Personality Disorder
F23	Brief Psychotic Disorder	F22	Delusional Disorder
F24	Shared Psychotic Disorder	F23	Brief Psychotic Disorder
F25.0	Schizoaffective Disorder, Bipolar Type	F28	Other Specified Schizophrenia Spectrum and Other Psychotic Disorder
F25.1	Schizoaffective Disorder, Depressive Type	F25.0	Schizoaffective Disorder, Bipolar Type
F25.8	Other Schizoaffective Disorders	F25.1	Schizoaffective Disorder, Depressive Type
F25.9	Schizoaffective Disorder, Unspecified		
F28	Other Psychotic Disorder Not Due to a Substance or Known Physiological Condition		
F29	Unspecified Psychosis Not Due to a Substance or Known Physiological Condition	F28	Other Specified Schizophrenia Spectrum and Other Psychotic Disorder
F30.10	Manic Episode Without Psychotic Symptoms, Unspecified	F29	Unspecified Schizophrenia Spectrum and Other Psychotic Disorder
F30.11	Manic Episode Without Psychotic Symptoms, Mild	F31.9	Bipolar I Disorder, Current or Most Recent Episode Unspecified
F30.12	Manic Episode Without Psychotic Symptoms, Moderate	F31.11	Bipolar I Disorder, Current or Most Recent Episode Manic, Mild
F30.13	Manic Episode, Severe, Without Psychotic Symptoms	F31.12	Bipolar I Disorder, Current or Most Recent Episode Manic, Moderate
F30.2	Manic Episode, Severe, With Psychotic Symptoms	F31.13	Bipolar I Disorder, Current or Most Recent Episode Manic, Severe
F30.3	Manic Episode in Partial Remission	F31.2	Bipolar I Disorder, Current or Most Recent Episode Manic, With Psychotic Features + <i>Severe</i> specifier
		F31.73	Bipolar I Disorder, Current or Most Recent Episode Manic, In Partial Remission

¹ Use ICD-10 Code/Name with DSM-IV-TR criteria. Do not use DSM-IV code/name.

² DSM-5 diagnosis not on DHCS Included list, consider alternative diagnoses.

³ Diagnosis pending, cannot currently be used.

ACBH Mental Health Inpatient Medi-Cal Included Diagnosis Crosswalk
 Effective for dates of service on and after October 1, 2019
 (Crossed out diagnoses are not allowed. Always use the ICD-10 code)

DHCS Inpatient Included List (except as noted ²)		ACBH Inpatient Included List	
DHCS ICD-10	DHCS ICD-10 Name	ICD-10	DSM-5 Name or ICD-10 Name (in bold)
F30.8	Other Manic Episodes	F31.89	Other Specified Bipolar and Related Disorders
		F31.9	Unspecified Bipolar and Related Disorders
F30.9	Manic Episode, Unspecified	F31.9	Bipolar I Disorder, Current or Most Recent Episode Unspecified
F31.0	Bipolar Disorder, Current Episode Hypomanic	F31.0	Bipolar I Disorder, Current or Most Recent Episode Hypomanic
F31.10	Bipolar Disorder, Current Episode Manic Without Psychotic Features, Unspecified	F31.9	Bipolar I Disorder, Current or Most Recent Episode Manic, Unspecified
F31.11	Bipolar Disorder, Current Episode Manic, Without Psychotic Features, Mild	F31.11	Bipolar I Disorder, Current or Most Recent Episode Manic, Mild
F31.12	Bipolar Disorder, Current Episode Manic, Without Psychotic Features, Moderate	F31.12	Bipolar I Disorder, Current or Most Recent Episode Manic, Moderate
F31.13	Bipolar Disorder, Current Episode Manic, Without Psychotic Features, Severe	F31.13	Bipolar I Disorder, Current or Most Recent Episode Manic, Severe
F31.2	Bipolar Disorder, Current Episode Manic, Severe, With Psychotic Features	F31.2	Bipolar I Disorder, Current or Most Recent Episode Manic, With Psychotic Features + <i>Severe</i> specifier
F31.30	Bipolar Disorder, Current Episode Depressed, Mild or Moderate Severity, Unspecified	F31.9	Unspecified Bipolar and Related Disorder
F31.31	Bipolar Disorder, Current Episode Depressed, Mild	F31.31	Bipolar I Disorder, Current or Most Recent Episode Depressed, Mild
F31.32	Bipolar Disorder, Current Episode Depressed, Moderate	F31.32	Bipolar I Disorder, Current or Most Recent Episode Depressed, Moderate
F31.4	Bipolar Disorder, Current Episode Depressed, Severe, Without Psychotic Features	F31.4	Bipolar I Disorder, Current or Most Recent Episode Depressed, Severe
F31.5	Bipolar Disorder, Current Episode Depressed, Severe, With Psychotic Features	F31.5	Bipolar I Disorder, Current or Most Recent Episode Depressed, With Psychotic Features + <i>Severe</i> specifier
F31.60	Bipolar Disorder, Current Episode Mixed, Unspecified	F31.9	Unspecified Bipolar and Related Disorder + <i>With mixed features</i> specifier

¹ Use ICD-10 Code/Name with DSM-IV-TR criteria. Do not use DSM-IV code/name.

² DSM-5 diagnosis not on DHCS Included list, consider alternative diagnoses.

³ Diagnosis pending, cannot currently be used.

ACBH Mental Health Inpatient Medi-Cal Included Diagnosis Crosswalk
 Effective for dates of service on and after October 1, 2019
 (Crossed out diagnoses are not allowed. Always use the ICD-10 code)

DHCS Inpatient Included List (except as noted ²)		ACBH Inpatient Included List	
DHCS ICD-10	DHCS ICD-10 Name	ICD-10	DSM-5 Name or ICD-10 Name (in bold)
F31.61	Bipolar Disorder, Current Episode Mixed, Mild		
F31.62	Bipolar Disorder, Current Episode Mixed, Moderate	-	Bipolar Disorder, Mixed Episode is not in DSM-5. Instead, DSM-5 has a With Mixed Features specifier for the Bipolar I diagnosis. For these diagnoses, consider an Included Bipolar Disorder diagnosis + With mixed features specifier; OR F31.89 - Other Specified Bipolar and Related Disorder + With mixed features specifier; OR F31.9 - Unspecified Bipolar and Related Disorder + With mixed features specifier
F31.63	Bipolar Disorder, Current Episode Mixed, Moderate		
F31.64	Bipolar Disorder, Current Episode Mixed, Severe, With Psychotic Features		
F31.71	Bipolar Disorder, in Partial Remission, Most Recent Episode Hypomanic	F31.71	Bipolar I Disorder, Current or Most Recent Episode Hypomanic, In Partial Remission
F31.73	Bipolar Disorder, in Partial Remission, Most Recent Episode Manic	F31.73	Bipolar I Disorder, Current or Most Recent Episode Manic, In Partial Remission
F31.75	Bipolar Disorder, in Partial Remission, Most Recent Episode Depressed	F31.75	Bipolar I Disorder, Current or Most Recent Episode Depressed, In Partial Remission
F31.77	Bipolar Disorder, in Partial Remission, Most Recent Episode Mixed	-	Bipolar Disorder, Mixed Episode is not in DSM-5. For these diagnoses, consider an Included Bipolar Disorder diagnosis + <i>With mixed features</i> and <i>In partial remission</i> specifier; <u>OR</u> F31.89 - Other Specified Bipolar and Related Disorder + <i>With mixed features</i> and <i>In partial remission</i> specifier; <u>OR</u> F31.9 - Unspecified Bipolar and Related Disorder + <i>With mixed features</i> and <i>In partial remission</i> specifier
F31.81	Bipolar II Disorder	F31.81	Bipolar II Disorder
F31.89	Other Bipolar Disorder	F31.89	Other Specified Bipolar and Related Disorder
F31.9	Bipolar Disorder, Unspecified	F31.9	Bipolar I Disorder, Current or Most Recent Episode Depressed, Unspecified
		F31.9	Bipolar I Disorder, Current or Most Recent Episode Hypomanic, Unspecified
		F31.9	Bipolar I Disorder, Current or Most Recent Episode Manic, Unspecified
		F31.9	Bipolar I Disorder, Current or Most Recent Episode Unspecified
		F31.9	Unspecified Bipolar and Related Disorder
F32.0	Major Depressive Disorder, Single Episode, Mild	F32.0	Major Depressive Disorder, Single Episode, Mild
F32.1	Major Depressive Disorder, Single Episode, Moderate	F32.1	Major Depressive Disorder, Single Episode, Moderate

¹ Use ICD-10 Code/Name with DSM-IV-TR criteria. Do not use DSM-IV code/name.

² DSM-5 diagnosis not on DHCS Included list, consider alternative diagnoses.

³ Diagnosis pending, cannot currently be used.

ACBH Mental Health Inpatient Medi-Cal Included Diagnosis Crosswalk
 Effective for dates of service on and after October 1, 2019
 (Crossed out diagnoses are not allowed. Always use the ICD-10 code)

DHCS Inpatient Included List (except as noted ²)		ACBH Inpatient Included List	
DHCS ICD-10	DHCS ICD-10 Name	ICD-10	DSM-5 Name or ICD-10 Name (in bold)
F32.2	Major Depressive Disorder, Single Episode, Severe, Without Psychotic Features	F32.2	Major Depressive Disorder, Single Episode, Severe
F32.3	Major Depressive Disorder, Single Episode, Severe, With Psychotic Features	F32.3	Major Depressive Disorder, Single Episode, With Psychotic Features + <i>Severe</i> specifier
F32.4	Major Depressive Disorder, Single Episode, in Partial Remission	F32.4	Major Depressive Disorder, Single Episode, In Partial Remission
F32.9	Major Depressive Disorder, Single Episode, Unspecified	F32.9	Major Depressive Disorder, Single Episode, Unspecified
		F32.9	Unspecified Depressive Disorder
F33.0	Major Depressive Disorder, Recurrent, Mild	F33.0	Major Depressive Disorder, Recurrent Episode, Mild
F33.1	Major Depressive Disorder, Recurrent, Moderate	F33.1	Major Depressive Disorder, Recurrent Episode, Moderate
F33.2	Major Depressive Disorder, Recurrent, Severe, Without Psychotic Features	F33.2	Major Depressive Disorder, Recurrent Episode, Severe
F33.3	Major Depressive Disorder, Recurrent, Severe, With Psychotic Symptoms	F33.3	Major Depressive Disorder, Recurrent Episode, With Psychotic Features + <i>Severe</i> specifier
F33.41	Major Depressive Disorder, Recurrent, in Partial Remission	F33.41	Major Depressive Disorder, Recurrent Episode, In Partial Remission
F33.8	Other Recurrent Depressive Disorders	F33.0	Major Depressive Disorder, Recurrent Episode, Mild
		F33.1	Major Depressive Disorder, Recurrent Episode, Moderate
		F33.2	Major Depressive Disorder, Recurrent Episode, Severe
		F33.3	Major Depressive Disorder, Recurrent Episode, With Psychotic Features with <i>Severe</i> specifier
		F33.41	Major Depressive Disorder, Recurrent Episode, In Partial Remission
F33.9	Major Depressive Disorder, Recurrent, Unspecified	F33.9	Major Depressive Disorder, Recurrent Episode, Unspecified
F34.0	Cyclothymic Disorder	F34.0	Cyclothymic Disorder
F34.1	Dysthymic Disorder	F34.1	Persistent Depressive Disorder (Dysthymia)
F34.81	Disruptive Mood Dysregulation Disorder	F34.81	Disruptive Mood Dysregulation Disorder
F34.89	Other Specified Persistent Mood Disorder	-	Use a Mood Disorder diagnosis allowed by ACBH
		F31.89	Other Specified Bipolar and Related Disorder
		F32.9	Unspecified Depressive Disorder

¹ Use ICD-10 Code/Name with DSM-IV-TR criteria. Do not use DSM-IV code/name.

² DSM-5 diagnosis not on DHCS Included list, consider alternative diagnoses.

³ Diagnosis pending, cannot currently be used.

ACBH Mental Health Inpatient Medi-Cal Included Diagnosis Crosswalk
 Effective for dates of service on and after October 1, 2019
 (Crossed out diagnoses are not allowed. Always use the ICD-10 code)

DHCS Inpatient Included List (except as noted ²)		ACBH Inpatient Included List	
DHCS ICD-10	DHCS ICD-10 Name	ICD-10	DSM-5 Name or ICD-10 Name (in bold)
F34.9	Persistent Mood [Affective] Disorder, Unspecified	-	Use a Mood Disorder diagnosis allowed by ACBH
		F31.9	See F31.9
		F32.9	See F32.9
F39	Unspecified Mood [Affective] Disorder	-	Use a Mood Disorder diagnosis allowed by ACBHCS
		F31.9	See F31.9
		F32.9	See F32.9
F40.00	Agoraphobia, Unspecified	F40.00	Agoraphobia
F40.01	Agoraphobia With Panic Disorder	F40.00 + F41.0	Agoraphobia (F40.00) and Panic Disorder (F41.0) - Use both diagnoses
F40.02	Agoraphobia Without Panic Disorder	F40.00	Agoraphobia
F40.10	Social Phobia, Unspecified	F40.10	Social Anxiety Disorder (Social Phobia)
F40.11	Social Phobia, Generalized		
F40.210	Arachnophobia	F40.218	Specific Phobia, Animal
F40.218	Other Animal Type Phobia		
F40.220	Fear of Thunderstorms	F40.228	Specific Phobia, Natural Environment
F40.228	Other Natural Environment Type Phobia		
F40.230	Fear of Blood	F40.230	Specific Phobia, Fear Of Blood
F40.231	Fear of Injections and Transfusions	F40.231	Specific Phobia, Fear Of Injections and Transfusions
F40.232	Fear of Other Medical Care	F40.232	Specific Phobia, Fear Of Other Medical Care
F40.233	Fear of Injury	F40.233	Specific Phobia, Fear Of Injury
F40.240	Claustrophobia	F40.248	Specific Phobia, Situational
F40.241	Acrophobia		
F40.242	Fear of Bridges		
F40.243	Fear of Flying		
F40.248	Other Situational Type Phobia		

¹ Use ICD-10 Code/Name with DSM-IV-TR criteria. Do not use DSM-IV code/name.

² DSM-5 diagnosis not on DHCS Included list, consider alternative diagnoses.

³ Diagnosis pending, cannot currently be used.

ACBH Mental Health Inpatient Medi-Cal Included Diagnosis Crosswalk
 Effective for dates of service on and after October 1, 2019
 (Crossed out diagnoses are not allowed. Always use the ICD-10 code)

DHCS Inpatient Included List (except as noted ²)		ACBH Inpatient Included List	
DHCS ICD-10	DHCS ICD-10 Name	ICD-10	DSM-5 Name or ICD-10 Name (in bold)
F40.290	Androphobia	F41.8	Other Specified Anxiety Disorder
F40.291	Gynophobia		
F40.298	Other Specified Phobia		
F40.8	Other Phobic Anxiety Disorders	F40.298	Specific Phobia, Other
		F41.8	Other Specified Anxiety Disorder
F41.0	Panic Disorder [Episodic Paroxysmal Anxiety Disorder]	F41.0	Panic Disorder
F41.1	Generalized Anxiety Disorder	F41.1	Generalized Anxiety Disorder
F41.3	Other Mixed Anxiety Disorders	F41.8	Other Specified Anxiety Disorder
F41.8	Other Specified Anxiety Disorders		
F41.9	Anxiety Disorder, Unspecified	F41.9	Unspecified Anxiety Disorder
F42.2	Mixed Obsessional Thoughts and Acts	F42.2	Obsessive-Compulsive Disorder
F42.3	Hoarding Disorder	F42.3	Hoarding Disorder
F42.4	Excoriation Disorder	F42.4	Excoriation (Skin Picking) Disorder
F42.8	Other Obsessive-Compulsive Disorder	F42.8	Other Specified Obsessive-Compulsive and Related Disorder
F42.9	Obsessive-Compulsive Disorder, Unspecified	F42.9	Unspecified Obsessive-Compulsive and Related Disorder
F43.0	Acute Stress Reaction	F43.0	Acute Stress Disorder
F43.10	Post-Traumatic Stress Disorder, Unspecified	F43.10	Posttraumatic Stress Disorder
		F43.9	Unspecified Trauma-and Stressor-Related Disorder
F43.11	Post-Traumatic Stress Disorder, Acute	F43.10	Posttraumatic Stress Disorder
F43.12	Post-Traumatic Stress Disorder, Chronic		
F43.20	Adjustment Disorder, Unspecified	F43.20	Adjustment Disorders, Unspecified
F43.21	Adjustment Disorder With Depressed Mood	F43.21	Adjustment Disorders, With Depressed Mood
F43.22	Adjustment Disorder With Anxiety	F43.22	Adjustment Disorders, With Anxiety
F43.23	Adjustment Disorder With Mixed Anxiety and Depressed Mood	F43.23	Adjustment Disorders, With Mixed Anxiety and Depressed Mood
F43.24	Adjustment Disorder With Disturbance of Conduct	F43.24	Adjustment Disorders, With Disturbance Of Conduct

¹ Use ICD-10 Code/Name with DSM-IV-TR criteria. Do not use DSM-IV code/name.

² DSM-5 diagnosis not on DHCS Included list, consider alternative diagnoses.

³ Diagnosis pending, cannot currently be used.

ACBH Mental Health Inpatient Medi-Cal Included Diagnosis Crosswalk
 Effective for dates of service on and after October 1, 2019
 (Crossed out diagnoses are not allowed. Always use the ICD-10 code)

DHCS Inpatient Included List (except as noted ²)		ACBH Inpatient Included List	
DHCS ICD-10	DHCS ICD-10 Name	ICD-10	DSM-5 Name or ICD-10 Name (in bold)
F43.25	Adjustment Disorder With Mixed Disturbance of Emotions and Conduct	F43.25	Adjustment Disorders, With Mixed Disturbance Of Emotions and Conduct
F43.29	Adjustment Disorder with Other Symptoms	F43.20	Adjustment Disorders, Unspecified
		F43.10	Posttraumatic Stress Disorder
F43.8	Other Specified Trauma- and Stressor-Related Disorder	F43.8	Other Specified Trauma- and Stressor-Related Disorder
F43.9	Unspecified Trauma- and Stressor-Related Disorder	F43.9	Unspecified Trauma- and Stressor-Related Disorder
F44.0	Dissociative Amnesia	F44.0	Dissociative Amnesia
F44.1	Dissociative Fugue	F44.1	Dissociative Amnesia, With Dissociative Fugue
F44.2	Dissociative Stupor	F44.89	Other Specified Dissociative Disorder
F44.4	Conversion Disorder With Motor Symptom or Deficit	F44.4	Conversion Disorder (Functional Neurological Symptom Disorder), With Abnormal Movement
		F44.4	Conversion Disorder (Functional Neurological Symptom Disorder), With Speech Symptoms
		F44.4	Conversion Disorder (Functional Neurological Symptom Disorder), With Swallowing Symptoms
		F44.4	Conversion Disorder (Functional Neurological Symptom Disorder), With Weakness/Paralysis
F44.5	Conversion Disorder With Seizures or Convulsions	F44.5	Conversion Disorder (Functional Neurological Symptom Disorder), With Attacks or Seizures
F44.6	Conversion Disorder With Sensory Symptom or Deficit	F44.6	Conversion Disorder (Functional Neurological Symptom Disorder), With Anesthesia or Sensory Loss
		F44.6	Conversion Disorder (Functional Neurological Symptom Disorder), With Special Sensory Symptoms
F44.7	Conversion Disorder With Mixed Symptom Presentation	F44.7	Conversion Disorder (Functional Neurological Symptom Disorder), With Mixed Symptoms
F44.81	Dissociative Identity Disorder	F44.81	Dissociative Identity Disorder
F44.89	Other Dissociative and Conversion Disorders	F44.89	Other Specified Dissociative Disorder
F44.9	Dissociative and Conversion Disorder, Unspecified	F44.9	Unspecified Dissociative Disorder

¹ Use ICD-10 Code/Name with DSM-IV-TR criteria. Do not use DSM-IV code/name.

² DSM-5 diagnosis not on DHCS Included list, consider alternative diagnoses.

³ Diagnosis pending, cannot currently be used.

ACBH Mental Health Inpatient Medi-Cal Included Diagnosis Crosswalk
 Effective for dates of service on and after October 1, 2019
 (Crossed out diagnoses are not allowed. Always use the ICD-10 code)

DHCS Inpatient Included List (except as noted ²)		ACBH Inpatient Included List	
DHCS ICD-10	DHCS ICD-10 Name	ICD-10	DSM-5 Name or ICD-10 Name (in bold)
F45.0	Somatization Disorder	F45.1	Somatic Symptom Disorder
		F45.1 + Additional MH Dx	Somatic Symptom Disorder + Additional Mental Health Diagnosis
F45.1	Undifferentiated Somatoform Disorder	F45.1	Somatic Symptom Disorder
F45.20	Hypochondriacal Disorder, Unspecified	F45.9	Unspecified Somatic Symptom and Related Disorder
F45.21	Hypochondriasis	F45.21	Illness Anxiety Disorder
F45.22	Body Dysmorphic Disorder	F45.22	Body Dysmorphic Disorder
F45.29	Other Hypochondriacal Disorders	F45.8	Other Specified Somatic Symptom and Related Disorder
F45.41	Pain Disorder Exclusively Related to Psychological Factors	F45.1	Somatic Symptom Disorder + <i>Predominant Pain</i> specifier
F45.42	Pain Disorder With Related Psychological Factors		
F45.8	Other Somatoform Disorders	F45.8	Other Specified Somatic Symptom and Related Disorder
F45.9	Somatoform Disorder, Unspecified	F45.9	Unspecified Somatic Symptom and Related Disorder
F48.1	Depersonalization-Derealization Syndrome	F48.1	Depersonalization/Derealization Disorder
F50.00	Anorexia Nervosa, Unspecified	F50.9	Unspecified Feeding or Eating Disorder
F50.01	Anorexia Nervosa, Restricting type	F50.01	Anorexia Nervosa, Restricting Type
F50.02	Anorexia Nervosa, Binge Eating/Purging Type	F50.02	Anorexia Nervosa, Binge-Eating/Purging Type
F50.2	Bulimia Nervosa	F50.2	Bulimia Nervosa
F50.81	Binge Eating Disorder	F50.81	Binge Eating Disorder
F50.82	Avoidant/Restrictive Food Intake Disorder	F50.82	Avoidant/Restrictive Food Intake Disorder
F50.89	Other Specified Eating Disorder	F50.89	Pica, In Adults
		F50.89	Other Specified Feeding or Eating Disorder
F50.9	Eating Disorder, Unspecified	F50.9	Unspecified Feeding or Eating Disorder
F53.0	Postpartum Depression	-	A mood disorder, <i>With peripartum onset</i> specifier

¹ Use ICD-10 Code/Name with DSM-IV-TR criteria. Do not use DSM-IV code/name.

² DSM-5 diagnosis not on DHCS Included list, consider alternative diagnoses.

³ Diagnosis pending, cannot currently be used.

ACBH Mental Health Inpatient Medi-Cal Included Diagnosis Crosswalk
 Effective for dates of service on and after October 1, 2019
 (Crossed out diagnoses are not allowed. Always use the ICD-10 code)

DHCS Inpatient Included List (except as noted ²)		ACBH Inpatient Included List	
DHCS ICD-10	DHCS ICD-10 Name	ICD-10	DSM-5 Name or ICD-10 Name (in bold)
F53.1	Puerperal Psychosis	F23	Brief Psychotic Disorder, With peripartum onset
F60.0	Paranoid Personality Disorder	F60.0	Paranoid Personality Disorder
F60.1	Schizoid Personality Disorder	F60.1	Schizoid Personality Disorder
F60.2	Antisocial Personality Disorder	F60.2	Antisocial Personality Disorder
F60.3	Borderline Personality Disorder	F60.3	Borderline Personality Disorder
F60.4	Histrionic Personality Disorder	F60.4	Histrionic Personality Disorder
F60.5	Obsessive-Compulsive Personality Disorder	F60.5	Obsessive-Compulsive Personality Disorder
F60.6	Avoidant Personality Disorder	F60.6	Avoidant Personality Disorder
F60.7	Dependent Personality Disorder	F60.7	Dependent Personality Disorder
F60.81	Narcissistic Personality Disorder	F60.81	Narcissistic Personality Disorder
F60.9	Personality Disorder, Unspecified	F60.9	Unspecified Personality Disorder
F63.1	Pyromania	F63.1	Pyromania
F63.81	Intermittent Explosive Disorder	F63.81	Intermittent Explosive Disorder
F63.89	Other Impulse Disorders	F91.8	Other Specified Disruptive, Impulse-Control, and Conduct Disorder
F84.0	Autistic Disorder (Autism Spectrum Disorder)	F84.0	Autism Spectrum Disorder
F84.2	Rett's Syndrome	F84.0	Autism Spectrum Disorder with <i>Associated with known medical or genetic condition or environmental factor specifier</i>
		-	Referral to physical health / neurology
F84.3	Other Childhood Disintegrative Disorder	F84.0	Autism Spectrum Disorder
F84.5	Asperger's Syndrome	F84.0	Autism Spectrum Disorder
F84.8	Other Pervasive Developmental Disorder	F84.0	Autism Spectrum Disorder
F84.9	Pervasive Developmental Disorder, Unspecified	F84.0	Autism Spectrum Disorder
F88	Other Specified Neurodevelopmental Disorder ²	F93.8	Other Childhood Emotional Disorders (In medical record use this ICD-10 Code/Name with DSM-IV-TR criteria, pg. 134, for Disorders of Infancy, Child, or Adolescence, NOS. Do not use DSM-IV-TR Code/Name.) ¹
F88	Unspecified Neurodevelopmental Disorder ²	F93.8	Other Childhood Emotional Disorders (In medical record use this ICD-10 Code/Name with DSM-IV-TR criteria, pg. 134, for Disorders of Infancy, Child, or Adolescence, NOS. Do not use DSM-IV-TR Code/Name.) ¹
F90.0	Attention-Deficit/Hyperactivity Disorder, Predominantly Inattentive Type	F90.0	Attention-Deficit/Hyperactivity Disorder, Predominately Inattentive Presentation

¹ Use ICD-10 Code/Name with DSM-IV-TR criteria. Do not use DSM-IV code/name.

² DSM-5 diagnosis not on DHCS Included list, consider alternative diagnoses.

³ Diagnosis pending, cannot currently be used.

ACBH Mental Health Inpatient Medi-Cal Included Diagnosis Crosswalk
 Effective for dates of service on and after October 1, 2019
 (Crossed out diagnoses are not allowed. Always use the ICD-10 code)

DHCS Inpatient Included List (except as noted ²)		ACBH Inpatient Included List	
DHCS ICD-10	DHCS ICD-10 Name	ICD-10	DSM-5 Name or ICD-10 Name (in bold)
F90.1	Attention-Deficit/Hyperactivity Disorder, Predominantly Hyperactive type	F90.1	Attention-Deficit/Hyperactivity Disorder, Predominately Hyperactive/Impulsive Presentation
F90.2	Attention-Deficit/Hyperactivity Disorder, Combined Type	F90.2	Attention-Deficit/Hyperactivity Disorder, Combined Presentation
F90.8	Attention-Deficit/Hyperactivity Disorder, Other Type	F90.8	Other Specified Attention-Deficit/Hyperactivity Disorder
F90.9	Attention-Deficit/Hyperactivity Disorder, Unspecified Type	F90.9	Unspecified Attention-Deficit/Hyperactivity Disorder
F91.1	Conduct Disorder, Childhood-Onset Type	F91.1	Conduct Disorder, Childhood-Onset Type
F91.2	Conduct Disorder, Adolescent-Onset Type	F91.2	Conduct Disorder, Adolescent-Onset Type
F91.3	Oppositional Defiant Disorder	F91.3	Oppositional Defiant Disorder
F91.8	Other Conduct Disorder	F91.8	Other Specified Disruptive, Impulse-Control, and Conduct Disorder
F91.9	Conduct Disorder, Unspecified	F91.9	Conduct Disorder, Unspecified Onset
		F91.9	Unspecified Disruptive, Impulse-Control, and Conduct Disorder
F93.0	Separation Anxiety Disorder of Childhood	F93.0	Separation Anxiety Disorder
F93.8	Other Childhood Emotional Disorders	F93.8	Other Childhood Emotional Disorders (In medical record use this ICD-10 Code/Name with DSM-IV-TR criteria, pg. 134, for Disorders of Infancy, Child, or Adolescence, NOS. Do not use DSM-IV-TR Code/Name.) ¹
F93.9	Childhood Emotional Disorder, Unspecified	F93.9	Childhood Emotional Disorder, Unspecified (In medical record use this ICD-10 Code/Name with DSM-IV-TR criteria, pg. 134, for both Disorders of Infancy, Child, or Adolescence, NOS. Do not use DSM-IV-TR Code/Name.) ¹
F94.0	Selective Mutism	F94.0	Selective Mutism
F94.1	Reactive Attachment Disorder of Childhood	F94.1	Reactive Attachment Disorder (Inhibited Type) - For Disinhibited Type see Disinhibited Social Engagement Disorder (F94.2)
F94.2	Disinhibited Attachment Disorder of Childhood	F94.2	Disinhibited Social Engagement Disorder
F95.0	Transient Tic Disorder	F95.0	Provisional Tic Disorder
F95.1	Chronic Motor or Vocal Tic Disorder	F95.1	Persistent (chronic) Motor or Vocal Tic Disorder
F95.2	Tourette's Disorder	F95.2	Tourette's Disorder
F95.8	Other Tic Disorders	F95.8	Other Specified Tic Disorder
F95.9	Tic Disorder, Unspecified	F95.9	Unspecified Tic Disorder

¹ Use ICD-10 Code/Name with DSM-IV-TR criteria. Do not use DSM-IV code/name.

² DSM-5 diagnosis not on DHCS Included list, consider alternative diagnoses.

³ Diagnosis pending, cannot currently be used.

ACBH Mental Health Inpatient Medi-Cal Included Diagnosis Crosswalk
 Effective for dates of service on and after October 1, 2019
 (Crossed out diagnoses are not allowed. Always use the ICD-10 code)

DHCS Inpatient Included List (except as noted ²)		ACBH Inpatient Included List	
DHCS ICD-10	DHCS ICD-10 Name	ICD-10	DSM-5 Name or ICD-10 Name (in bold)
F98.0	Enuresis Not Due to a Substance or Known Physiological Condition	F98.0	Enuresis
F98.1	Encopresis Not Due to a Substance or Known Physiological Condition	F98.1	Encopresis, With constipation and overflow incontinence
		F98.1	Encopresis, Without constipation and overflow incontinence
F98.21	Rumination Disorder of Infancy	F98.21	Rumination Disorder
F98.29	Other Feeding Disorders of Infancy and Early Childhood	F50.9	Unspecified Feeding or Eating Disorder
		F98.29	Other Feeding Disorders of Infancy and Early Childhood (In medical record use this ICD-10 Code/Name with DSM-IV-TR criteria, pg. 107, for Feeding Disorder of Infancy or Early Childhood. Do not use DSM-IV-TR Code/Name.) ¹
F98.3	Pica of Infancy and Childhood	F98.3	Pica, In Children
F98.4	Stereotyped Movement Disorders	F98.4	Stereotypic Movement Disorder
G21.0	Malignant Neuroleptic Symptom	G21.0	Neuroleptic Malignant Syndrome
G21.11	Neuroleptic Induced Parkinsonism	G21.11	Neuroleptic Induced Syndrome
R15.0	Incomplete Defecation ³	F98.1	Encopresis
		R15.9	Other Specified Elimination Disorder, With Fecal Symptoms³
		R15.9	Unspecified Elimination Disorder, With Fecal Symptoms³
R15.9	Full Incontinence of Feces ³	R15.9	Other Specified Elimination Disorder, With Fecal Symptoms³
R15.9	Full Incontinence of Feces ³	R15.9	Unspecified Elimination Disorder, With Fecal Symptoms³
Z03.89	Encounter for observation for other suspected diseases and conditions ruled out	Z03.89	No Diagnosis or Condition (A beneficiary may be given this diagnosis at intake, however once the assessment is completed, no claiming can be made with this diagnosis.)

- DHCS ICD-10 Included diagnosis
- ACBH Included diagnosis
- Use ICD-10 code and name with criteria from DSM-IV

¹ Use ICD-10 Code/Name with DSM-IV-TR criteria. Do not use DSM-IV code/name.

² DSM-5 diagnosis not on DHCS Included list, consider alternative diagnoses.

³ Diagnosis pending, cannot currently be used.